

M/Y	SVHC candidate	CAS No.	parameter	relevance for shoes and leather goods	comment	limit exceeding (> 0.1 %)
03/10	Acrylamide	79-06-1	amides	plastics, leather, textiles, synthetics	monomer, dyestuff	is not expected
12/12	Diazene-1,2-dicarboxamide (C,C'-azodi-(formamide))	123-77-3		plastics, rubber	foaming agent	possible
10/08	Anthracene	120-12-7	PAH	leather plastics, rubber, elastomers, foams, wood	greasing agent softener, dyestuff, wood preservative	is not expected
01/10	Anthracene oil,	90640-80-5				
01/10	Anthracene oil - Anthracene-low,	90640-82-7				
01/10	Anthracene oil - Anthracene paste,	90640-81-6				
01/10	Anthracene oil - Anthracene fraction,	91995-15-2				
01/10	Anthracene oil - distn. lights	91995-17-4				
06/16	Benzo[a]pyrene	50-32-8				
01/18	Benzo[a]anthracene	56-55-3				
01/18	Chrysene	218-01-9				
06/18	Benzo[ghi]perylene	191-24-2				
10/08	4,4'-Diamino-diphenylmethane	101-77-9	aromatic amine	leather, textiles, synthetics, paperboard PUR epoxy resin, adhesives	azo dyestuff basis for isocyanates bonding agent chemical for synthesis	is not expected
12/11	2,2'-Dichlor-4,4'-methylene-dianiline	101-14-4				
12/11	2-Methoxyaniline (<i>o</i> -Anisidine)	90-04-0				
12/12	4,4'-Methylendi- <i>o</i> -toluidine (3,3'-Dimethyl-4,4'-diamino-diphenylmethan)	838-88-0				
12/12	4,4'-Oxidianiline and its salts	101-80-4				
12/12	<i>o</i> -Toluidine (2-Aminotoluene)	95-53-4				
12/12	4-Methyl- <i>m</i> -phenylenediamine (2,4-Toluene-diamine)	95-80-7				
12/12	6-Methoxy- <i>m</i> -toluidine (<i>p</i> -Cresidine)	120-71-8				
12/12	Biphenyl-4-ylamine	92-67-1				
12/12	<i>o</i> -Aminoazotoluene	97-56-3				
12/12	4-Aminoazobenene (4-Phenylazoaniline)	60-09-3				

M/Y	SVHC candidate	CAS No.	parameter	relevance for shoes and leather goods	comment	limit exceeding (> 0.1 %)
12/13	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis-(4-aminonaphthalene-1-sulphonate) (C.I. Direct red 28)	573-58-0	aromatic amine (benzidine)	leather, textiles, synthetics, paperboard	azo dyestuff	is not expected
12/13	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)-azo]-[1,1'-biphenyl]4-yl]-azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct black 38)	1937-37-7				
12/11	Formaldehyde, oligomeric reaction products with aniline	25214-70-4	Formaldehyde	epoxy resin, adhesives	chemical product for processes	is not expected
10/08	Alkanes, C10-13, chloro (short chain chlorinated paraffins)	85535-84-8	chlorinated paraffin's	leather textiles, synthetics, colors, plastics, adhesives	greasing agent flame retardant	possible
12/11	4-(1,1,3,3-Tetramethyl-butyl)-phenol (4-tert.-Octylphenol)	140-66-9	Alkyl phenol		production of phenolic resins, coatings, colors, and varnish; precursor for Ethoxylates (surfactants), Lubricant and grease	possible
12/12	4-Nonylphenol (linear and branched and mixtures of isomers)	-				
01/17	4-heptylphenol, branched and linear	-				
01/18	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) with $\geq 0.1\%$ w/w 4-Heptylphenol, branched and linear (4-HPbl)			leather textiles, synthetics, plastics, adhesives, rubber		
01/17	4-tert-Pentylphenol (<i>p</i> -(1,1-dimethylpropyl)phenol)	80-46-6				
12/12	4-(1,1,3,3-Tetramethyl-butyl)-phenol ethoxylated (mixture of ethoxylates) (4-tert.-Octylphenol ethoxylates)	-	Alkyl phenol ethoxylate	leather, textiles, synthetics	surfactant, chemical product for processes	possible
06/13	4-Nonylphenol ethoxylated (branched and linear)	-				

M/Y	SVHC candidate	CAS No.	parameter	relevance for shoes and leather goods	comment	limit exceeding (> 0.1 %)	
06/13	Cadmium	7440-43-9	Heavy metals after total digestion, Cadmium	metall parts plastics (especially PVC)	impurities in metal stabilizing agent	possible	
06/13	Cadmium oxide	1306-19-0		plastics	catalyst in sythesis, pigment in glass and ceramic	not expected	
06/14	Cadmium chloride	10108-64-2			photovoltaic modules, circuit board production	not expected	
12/13	Cadmium sulphide	1306-23-6			catalyst in sythesis, pigment in plastics, glass and ceramic	possible	
12/14	Cadmium fluoride	7790-79-6			not relevant	laboratory reagent	not expected
12/14	Cadmium sulphate	10124-36-4 31119-53-6					
01/18	Cadmiumnitrate	10325-94-7			plastics	Pigments, Polymeres, Glas	not expected
01/18	Cadmiumhydroxide	21041-95-2		plastics	Pigments, Polymeres, Batteries	not expected	
01/18	Cadmiumcarbonate	513-78-0		plastics	Pigments, Polymeres	not expected	
10/08	Cobalt dichloride	7646-79-9	Heavy metals after total digestion, Cobalt	rubber, elastomers, soft plastics metal parts	additive alloys, electroplating humidity indicator in drying agents catalyst, for pigments and dyestuffs, as coloring for glazes	possible	
12/10	Cobalt-(II)-carbonate	513-79-1				is not expected	
12/10	Cobalt-(II)-diacetate	71-48-7					
12/10	Cobalt-(II)-dinitrate	10141-05-6					
12/10	Cobalt-(II)-sulfate	10124-43-3					
12/10	Chromium trioxide	1333-82-0	Heavy metals after total digestion, Chrome	wood	wood preservative, strong oxidant	is not expected	
12/10	Chromic acid and all oligomers of chromic acid	7738-94-5					
12/10	Dichromic acid and all oligomers of dichromic acid	13530-68-2					

M/Y	SVHC candidate	CAS No.	parameter	relevance for shoes and leather goods	comment	limit exceeding (> 0.1 %)
06/10	Trichloroethylene	79-01-6	VOC	adhesives, leather, textiles	solvent, degreasing agent or cleaning agent	possible
06/11	1,2,3-Trichloropropane	96-18-4				
12/11	1,2-Dichloroethane	107-06-2		Vinyl chloride		
06/11	1-Methyl-2-pyrrolidone (NMP)	872-50-4		leather, textiles, synthetics	solvent for leather and textile coatings, intermediate product of colors and varnish	
12/11	N,N-Dimethylacetamide (DMAC)	127-19-5		textiles, synthetics	solvent for leather and textile coatings	possible
12/12	N,N-Dimethylformamide (DMFA)	68-12-2				
06/12	Formamide	75-12-7		coatings, plastics	softener	
01/10	2,4-Dinitrotoluene	121-14-2		leather, textiles, synthetics PUR, plastics	intermediate product of azo dyestuff; basis for isocyanates, additive in the plastic industry; can appear together with DBP	is not expected
12/12	1-Bromopropane	106-94-5		plastics	solvent or degreasing agent	
12/10	2-Ethoxyethanol	110-80-5				
12/10	2-Methoxyethanol	109-86-4		varnishes, leather, textiles, adhesives, dyes, polymers	solvent, leather finish, textile finishing	
06/11	2-Ethoxyethylacetate	111-15-9				
06/11	Hydrazine	302-01-2 / 7803-57-8		synthetics, adhesives	intermediate product of foaming agents, colors and flame retardants	
12/11	Bis-(2-methoxyethyl)-ether (Diethylenglycoldimethylether)	111-96-6		adhesives	solvent in textile production and textile coatings	
12/12	Furan	110-00-9			solvent in the production of industrial chemicals	

M/Y	SVHC candidate	CAS No.	parameter	relevance for shoes and leather goods	comment	limit exceeding (> 0.1 %)
10/08	Dibutyl phthalate (DBP)	84-74-2	phthalate	plastics (especially PVC), synthetics, colors, epoxy resin, adhesives, coatings	softener	possible
12/14	Bis-(2-ethylhexyl)-phthalate (DEHP)	117-81-7				
10/08	Benzyl butyl phthalate (BBP)	85-68-7				
01/10	Diisobutyl phthalate (DIBP)	84-69-5				
06/11	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4				
06/11	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6				
12/11	Bis-(2-methoxyethyl)-phthalate (BMEP)	117-82-8				
06/13	Di- <i>n</i> -pentyl phthalate (DPP)	131-18-0				
12/12	Diisopentyl phthalate (DIPP)	605-50-5				
12/12	<i>n</i> -Pentyl-isopentyl phthalate (PIPP)	776297-69-9				
12/12	1,2-Benzenedicarboxylic acid, dipentylester branched and linear	84777-06-0				
12/13	1,2-Benzenedicarboxylic acid, dihexylester branched and linear	84-75-3				
06/14	Dihexyl phthalate (DnHP)	68515-50-4				
06/15	1,2-Benzenedicarboxylic acid, di-C6-10- alkyl esters; 1,2-Benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with $\geq 0.3\%$ of diehexyl phthalate	68515-51-5 69648-93-1				
06/18	Dicyclohexylphthalate (DCHP)	CAS 84-61-7				
12/12	Hexahydro-2-benzofuran-1,3,dione cis-cyclohexane-1,2-dicarboxylic anhydride trans-cyclohexane-1,2-dicarboxylic anhydride	85-42-7 13149-00-3 14166-21-3	phthalate analogs	plastics	Process additive in Polyester production, softener in plastics	possible
12/12	Hexahydromethylphthalic anhydride Hexahydro-4-methylphthalic anhydride Hexahydro-1-methylphthalic anhydride Hexahydro-3-methylphthalic anhydride	25550-51-0 19438-60-9 48122-14-1 57110-29-9				

M/Y	SVHC candidate	CAS No.	parameter	relevance for shoes and leather goods	comment	limit exceeding (> 0.1 %)
10/08	Hexabromocyclododecane (HBCDD) and all major diastereomers (α -HBCDD, β -HBCDD, γ -HBCDD)	25637-99-4 3194-55-6 134237-50-6 134237-51- 134237-52-8	flame retardant	textiles, synthetics, plastics, leather	electrical appliances furniture; softener for plastics additive in fatliquor	possible
12/12	Bis-(pentabromophenyl)-ether (DecaBDE)	1163-19-5				
01/10	Tris-(2-chloroethyl)-phosphate	115-96-8				
12/13	Trixylyl phosphate	25155-23-1				
01/18	Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-dien ("Dechlorane Plus" TM , DP oder DPMA)	13560-89-9 135821-74-8 135821-03-3				
10/08	Bis-(tributyltin)-oxid (TBTO)	56-35-9	Tin-organic compounds	textiles, synthetics, plastics, leather	biocide	is not expected
12/12	Dibutyl tin dichloride (DBT)	683-18-1			stabilizing agent, catalyst	possible
12/14	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	15571-58-1				
12/14	reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	-				
10/08	Sodium dichromate	7789-12-0	Chromium VI	leather, wool textiles, synthetics, plastics metals, coatings	formed from Chromium III by oxidation dyestuff, pigments application in the aeronautics, steel production corrosion prevention	is not expected
06/10	Sodium chromate	7775-11-3				
06/10	Potassium chromate	7789-00-6				
06/10	Potassium dichromate	7778-50-9				
06/10	Ammonium dichromate	7789-09-5				
01/10	Lead chromate	7758-97-6				
06/11	Strontium chromate	7789-06-2				
12/11	Dichromium tris-(chromate)	24613-89-6				
12/11	Potassium hydroxyoctaoxidizincate-dichromate (zinc yellow)	11103-86-9				
12/11	Pentazinc chromate octahydroxide (alkali free zinc yellow)	49663-84-5				

M/Y	SVHC candidate	CAS No.	parameter	relevance for shoes and leather goods	comment	limit exceeding (> 0.1 %)	
10/08	Triethyl arsenate	15606-95-8	Heavy metals after total digestion, arsenic	textiles, wood	biocide, wood preservative	possible	
10/08	Diarsenic pentaoxide	1303-28-2					
10/08	Diarsenic trioxide	1327-53-3					
10/08	Lead hydrogen arsenate	7784-40-9		PVC	stabilizing agent		
12/11	Calcium arsenate	7778-44-1		not relevant	smelting of copper, production of arsenic trioxide		is not expected
12/11	Trilead arsenate	3687-31-8			smelting of glass, production of printed boards		
12/11	Arsenic acid	7778-39-4					
06/10	Boric acid	10043-35-3 / 11113-50-1	Heavy metals after total digestion, Boron	rubber, adhesives	biocide, flame retardant	possible	
06/10	Disodium tetraborate, anhydrous	1330-43-4 / 12179-04-3 / 1303-96-4					
06/10	Tetraboron disodium heptaoxide, hydrate	12267-73-1					
06/12	Diboron trioxide	1303-86-2					
06/14	Sodium peroxometaborate	7632-04-4		not relevant	bleaching agent, used in detergents, cosmetic products		is not expected
06/14	Sodium perborate; perboric acid, sodium salt	-					
06/18	Disodiumoctaborate	12008-41-2		not relevant	anti-freeze products, heat transfer fluids, lubricants and greases, and washing and cleaning products	is not expected	

M/Y	SVHC candidate	CAS No.	parameter	relevance for shoes and leather goods	comment	limit exceeding (> 0.1 %)
12/12	lead oxide sulfate	12036-76-9	Heavy metals after total digestion, Lead	plastics	stabilizing agent for plastics e.g. construction industry	possible
12/12	[Phthalato-(2-)]-dioxotrilead	69011-06-9				
12/12	Dioxobis-(stearato)-trilead	12578-12-0				
12/12	Fatty acids, C16-18, lead salts	91031-62-8				
12/12	Lead oxide (Leadmonoxide)	1317-36-8		electronic articles, lead crystal glass	inter alia electronic and optical parts, batteries, crystal glass	possible
12/12	Lead tetroxide (orange lead)	1314-41-6				
12/12	Pentalead tetraoxide sulphate	12065-90-6				
12/12	Sulfurous acid, lead salt, dibasic	62229-08-7				
12/12	Tetralead trioxide sulphate	12202-17-4				
12/12	Trilead dioxide phosphonate	12141-20-7		plastics (PVC), electronic devises	stabilizing agent (PVC in construction industry), optical and electronic parts, batteries	possible
01/10	Lead chromate molybdate sulphate red (C.I. Pigment Red 104)	12656-85-8				
01/10	Lead sulfochromate yellow (C.I. Pigment Yellow 34)	1344-37-2		leather, textiles, synthetics, plastics	dye stuff, pigments	is not expected
12/11	Lead azide, Lead diazide	13424-46-9		not relevant	initiating explosives in detonator caps or ammunition	
12/11	Lead styphnate	15245-44-0				
12/11	Lead dipicrate	6477-64-1				
06/12	Lead-(II)-bis-(methansulfonate)	17570-76-2				
12/12	Acetic acid, lead salt, basic, Lead-(II)-hydroxy acetate (1:1:1)	51404-69-4				
12/12	Trilead bis(carbonate) dihydroxide (basic lead carbonate)	1319-46-6				
12/12	Lead titanium trioxide	12060-00-3				
12/12	Lead titanium zirconium oxide	12626-81-2				
12/12	Lead bis(tetrafluoroborate)	13814-96-5				
12/12	Lead cyanamidate	20837-86-9				
					electronic components (printed board) intermediate product in chemical industry production of semiconductors surface treatment of metals (galvanic and electro plating)	

M/Y	SVHC candidate	CAS No.	parameter	relevance for shoes and leather goods	comment	limit exceeding (> 0.1 %)
12/12	Lead dinitrate	10099-74-8	Heavy metals after total digestion, Lead		Process additive in production of dyestuffs and varnishes	
12/12	Sillic acid, lead salt	11120-22-2			production of crystal glass	
12/12	Tetraethyllead	78-00-2			Additive for fuels	
12/12	Pyrochlore, antimony lead yellow	8012-00-8			pigment for paint, varnish	
12/12	Sillic acid, barium salt, lead-doped	68784-75-8			coating for glass	
12/13	Lead di(acetate)	301-04-2			paint stripper	
06/18	Lead	7439-92-1		Metal Parts, catalyst in plastic production used as salt or in organic compounds	Metals, Plastics	possible
12/14	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	UV Stabilizers	plastics, coatings	UV stabilizer in multiple plastics and coatings	possible
12/14	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1				
12/15	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)-phenol (UV-327)	3864-99-1				
12/15	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)-phenol (UV-350)	36437-37-3				

M/Y	SVHC candidate	CAS No.	parameter	relevance for shoes and leather goods	comment	limit exceeding (> 0.1 %)
06/12	4,4'-bis(dimethylamino)-4''-(methylamino)-trityl alcohol [with ≥ 0.1% of Michler's ketone]	561-41-1	Michler's reagent	textiles, synthetics, plastics	Michler's ketone: additive compound and intermediate of dyes and pigments writing inks and other inks, purifiers, coatings paper dyeing	is not expected
06/12	[4-[4,4'-bis(dimethylamino)-benzhydrylidene]-cyclohexa-2,5-dien-1-ylidene]-dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone]	548-62-9				
06/12	4,4'-bis(dimethylamino)-benzophenone (Michler's ketone)	90-94-8				
06/12	[4-[[4-anilino-1-naphthyl]-[4-(dimethylamino)phenyl]-methylene]-cyclo-hexa-2,5-dien-1-ylidene]-dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone]	2580-56-5				
06/12	α,α-Bis[4-(dimethylamino)phenyl]-4-(phenylamino)-naphthalene-1-methanol (C.I. Solvent Blue 4) [with ≥ 0.1% of Michler's ketone]	6786-83-0				
06/12	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1				
12/12	Propylene oxide (1,2-epoxypropane, Methyloxirane)	75-56-9	Epoxide	Leather, textiles, synthetics, plastics	Monomer for production of polymers, surfactants and dyeing auxiliary	is not expected
12/13	Imidazolidine-2-thione; 2-Imidazolline-2-thiol	96-45-7		Neoprene, polyacryl-rubber	Additive for vulcanization	possible
06/12	1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC)	2451-62-9	Isocyanuric acid derivatives	coatings, adhesives, plastics	hardener in resins and coatings	is not expected
06/12	1,3,5-Tris[(2S,2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione (β-TGIC)	59653-74-6				

M/Y	SVHC candidate	CAS No.	parameter	relevance for shoes and leather goods	comment	limit exceeding (> 0.1 %)
12/12	Pentacosafuorotridecanoic acid	72629-94-8	Perfluorinated carboxylic acids	textiles, leather	water-repellent finishes for shoes and apparel	possible
12/12	Tricosafuorododecanoic acid	307-55-1				
12/12	Henicosafuoroundecanoic acid	2058-94-8				
12/12	Heptacosafuorotetradecanoic acid	376-06-7				
06/13	Pentadecafluorooctanoic acid (PFOA)	335-67-1				
06/13	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1				
12/15	Perfluorononan-1-oic-acid and its sodium and ammonium salt	375-95-1 21049-39-8 4149-60-4				
01/17	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	335-76-2 3830-45-3 3108-42-7				
07/17	Perfluorhexane-1-sulphonic acid and its salts (PFHxS)	-				
01/17	Bisphenol A (BPA) (4,4'-isopropylidenediphenol)	80-05-7	Bisphenol A	Adhesives, Polycarbonat	Epoxid resins and in polycarbonat	possible
12/11	Phenolphthalein	77-09-8		not relevant	laboratory reagent	
06/12	1,2-Dimethoxyethane, ethylene glycol dimethyl ether (EGDME)	110-71-4			solvent for chemical synthesis	
06/12	1,2-Bis(2-methoxy-ethoxy)-ethane; (TEGDME, triglyme)	112-49-2				
12/12	1,2-Diethoxyethane (EGDEE, diethyl glycol)	629-14-1				
10/08	5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2				cosmetics

M/Y	SVHC candidate	CAS No.	parameter	relevance for shoes and leather goods	comment	limit exceeding (> 0.1 %)
01/10	Pitch, coal tar, high temperature	65996-93-2		Not relevant	steel industry, coal and coke fabrication	
12/15	1,3-Propansultone	1120-71-4			intermediate in synthesis of chemicals	
12/11	Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF)	-			electrical and home appliances, high temperature isolation in industrial facilities, fire prevention	
12/11	Aluminosilicate Refractory Ceramic Fibres (RCF)	-				
12/12	Diethyl sulfate	64-67-5			industrial intermediate, laboratory reagent	
12/12	Dimethyl sulfate	77-78-1				
12/12	Dinoseb (2-(1-Methylpropyl)-4,6-dinitrophenol; DNBP)	88-85-7			intermediate in synthesis of chemicals	
12/12	Methoxy acetic acid	625-45-6				
12/12	N-Methylacetamid	79-16-3			Process additive	
12/12	3-Ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2			biocide in lubricants, hardening agent for PUR	
06/15	5-Sec-Butyl-2-(2,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxan [1], 5-Sec-Butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxan [2] [covering any of the individual isomers of [1] or [2] or any combination thereof]	117933-89-8 343934-04-3 343934-05-4 676367-02-5 676367-03-6 676367-04-7 676367-05-8 676367-06-9 676367-07-0 676367-08-1 676367-09-2 186309-28-4			not relevant	
12/15	Nitrobenzene	98-95-3				

M/Y	SVHC candidate	CAS No.	parameter	relevance for shoes and leather goods	comment	limit exceeding (> 0.1 %)
06/18	Octamethylcyclotetrasiloxane (D4)	556-67-2	Silicons	Silicone, Silicone or Siloxane coated materials	Silicone	possible
06/18	Decamethylcyclopentasiloxane (D5)	541-02-6				
06/18	Dodecamethylcyclohexasiloxane (D6)	540-97-6				
06/18	Terphenyl, hydrogenated	61788-32-7		Prints	plastic additive, solvent, in coatings/inks, in adhesives and sealants, and heat transfer fluids	is not expected
06/18	Ethylenediamine (EDA)	107-15-3			adhesives and sealants, coating products, fillers, putties, plasters, modelling clay, pH regulators	is not expected
06/18	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (TMA) Trimellitacidanhydride	CAS 552-30-7	Organic Acids		manufacture of esters and polymers	is not expected